



Product Service

CERTIFICATE

No. Z2 068988 0110 Rev. 00

Model(s):

JT315PAg, JT320PAg, JT325PAg, JT330PAg,
JT335PAg, JT340PAg, JT345PAg, JT350PAg,
JT265PPg, JT270PPg, JT275PPg, JT280PPg,
JT285PPg, JT290PPg, JT315PAg(1500),
JT320PAg(1500), JT325PAg(1500), JT330PAg(1500),
JT335PAg(1500), JT340PAg(1500), JT345PAg(1500),
JT350PAg(1500), JT265PPg(1500), JT270PPg(1500),
JT275PPg(1500), JT280PPg(1500), JT285PPg(1500),
JT290PPg(1500)

Parameters:

Rated Output Power at
STC:

315 W, 320 W, 325 W, 330 W,
335 W, 340 W, 345 W, 350 W,
265 W, 270 W, 275 W, 280 W,
285 W, 290 W, 315 W, 320 W,
325 W, 330 W, 335 W, 340 W,
345 W, 350 W, 265 W, 270 W,
275 W, 280 W, 285 W, 290 W

Construction:

Framed, with Junction box,
Cable and Connectors.

Safety Class:

Class II

Maximum System

1500 V DC

Voltage:

Fire Safety Class:

Class C according to UL790.

Severity of salt mist test: Level 1

Tested according to:

IEC 61215-1(ed.1)
IEC 61215-1-1(ed.1)
IEC 61215-2(ed.1)
IEC 61730-1(ed.2)
IEC 61730-2(ed.2)
IEC 61701(ed.2)

Production Facility(ies):

068988, 079922, 094131

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFICADO ◆ CERTIFICAT